THE JOURNAL OF
PROSTHETIC DENTISTRY

OFFICIAL PUBLICATION OF
The Academy of Denture Prosthetics
The American Prosthodontic Society
The Pacific Coast Society of Prosthodontists
The American Academy of Restorative Dentistry
The American Academy of Crown and Bridge Prosthodontics
The Greater New York Academy of Prosthodontics
The Southeastern Academy of Prosthodontics
The American Academy of Maxillofacial Prosthetics
The American Equilibration Society
The American Academy of Implant Dentistry
The Canadian Academy of Prosthodontics
Federation of Prosthodontic Organizations
The American College of Prosthodontists
The Carl O. Boucher Prosthodontic Conference
Northeastern Gnathological Society
Midwest Academy of Prosthodontics
Northeastern Prosthodontic Society
Association of Prosthodontists of Canada
American Academy of Esthetic Dentistry
American Academy of Craniomandibular Disorders
The Florida Prosthodontic Association

EDITORIAL COUNCIL

Louis S. Block, *chairman*
Daniel H. Gehl, *vice-chairman*
S. Howard Payne, *consultant*
I. Kenneth Adisman
Thomas A. Curtis
Henry Ebel
William A. Jennings
F. James Kratochvil
Alexander L. Martone
Chester Perry
Dale E. Smith
Charles C. Swoope

EDITOR
Judson C. Hickey

ASSISTANT EDITOR
Ronald P. Desjardins

SECTION EDITORS

REMOVABLE PROSTHODONTICS
Louis Blatterfein
S. Howard Payne

FIXED PROSTHODONTICS AND OPERATIVE DENTISTRY
Gordon J. Christensen
Samuel E. Guyer
William Lefkowitz
William F. P. Malone
Robert C. Sproull

MAXILLOFACIAL PROSTHETICS AND DENTAL IMPLANTS
I. Kenneth Adisman
Ronald P. Desjardins

TEMPOROMANDIBULAR JOINT AND OCCLUSION
George A. Zarb

RESEARCH AND EDUCATION
Louis J. Boucher

DENTAL TECHNOLOGY
Daniel H. Gehl

Paul Barton, *editorial consultant*
Ralph W. Phillips, *advisor, dental materials*
Ocie Colleen Ringle, *editorial assistant*

ASSOCIATE EDITORS

Dale H. Andrews
Louis J. Boucher
Thomas A. Curtis
Ronald P. Desjardins
Robert W. Elliott, Jr.
Aaron H. Fenton
Sanford C. Frumker
James B. Gallagher, Jr.
Davis Henderson
Robert E. Hoar
William W. Howard
William A. Jennings
Nathaniel H. Lenchner
William F. P. Malone
Paul J. Mentag
Jack H. Rayson
Lester E. Rosenthal
Dale E. Smith
Robert H. Sprigg
Charles C. Swoope
Ross L. Taylor

VOLUME 50 **DECEMBER** **1983**
THE C. V. MOSBY COMPANY **ST. LOUIS**

VOLUME 50
Copyright © 1983
THE C. V. MOSBY COMPANY

(All rights reserved)
Printed in the United States of America

INDEX TO VOLUME 50

Author index

A

ADELL, R. Clinical results of osseointegrated implants supporting fixed prostheses in edentulous jaws, 251
AGUS, B. (*See* Friedman, Weisberg, and Agus), 827
AKAGAWA, Y., NIKAI, H., AND TSURU, H. Histologic changes in rat masticatory muscles subsequent to experimental increase of occlusal vertical dimension, 725
ALBREKTSSON, T. Direct bone anchorage of dental implants, 255
— (*See* Eriksson and Albrektsson), 101
— (*See* Hansson et al), 108
ALMAGOR, R. (*See* Tau et al), 314
ALPERSTEIN, K. S., GRAVER, H. T., AND HEROLD, R. C. B. Marginal leakage of glass-ionomer cement restorations, 803
APPLEBY, D. C. Physiologic occlusal contacts: Premarked for prevention, 129
ARAMANY, M. A. (*See* Zaki et al), 672
ARBREE, N. S. (*See* Taicher et al), 65
ARCHIBALD, D. (*See* Barron et al), 69
ASGAR, K. (*See* Morris et al), 319
ASH, JR., M. M. (*See* Tallgren et al), 148
AXINN, S., AND BRASHER, W. J. Frenectomy plus free graft, 16
AZZI, R., TSAO, T. F., CARRANZA, JR., F. A., AND KENNEY, E. B. Comparative study of gingival retraction methods, 561

B

BALBO, M. P. (*See* Rakow et al), 216
BALTHAZAR, Y. M. (*See* Hart et al), 54
BARAN, G. R. Metallurgy of Ni-Cr alloys for fixed prosthodontics, 639
BARISH, E. M. Salvaging crown die with insufficient occlusal reduction, 866
BARRON, J. B., RUBENSTEIN, J. E., ARCHIBALD, D., AND MANOR, R. C. Flexible intraoral stents, 69
BAUER, J. G., AND CAPUTO, A. A. Surface of composite resin finished with instruments and matrices, 351
BEARN, E. M. (*See* Ow and Bearn), 332
BEHREND, D. H. (*See* O'Meeghan and Behrend), 780
BERGEN, S. F. (*See* Taicher et al), 65
BERGMAN, B. Evaluation of the results of treatment with osseointegrated implants by the Swedish National Board of Health and Welfare 114
BERRY, D. C., AND SINGH, B. P. Daily variations in occlusal contacts, 386
BLANCO-DALMAU, L. Preventing green discoloration of porcelain baked over silver-palladium alloys, 865
BLOMFIELD, J. V. (*See* Hanson et al), 818
BOWMAN, D. (*See* Hart et al), 54
BOYER, D. B. (*See* Chan and Boyer), 345
BRÅNEMARK, P-I. Osseointegration and its experimental background, 399
— (*See* Hansson et al), 108
BRANNON, L. S. (*See* Mahan et al), 710
BRASHER, W. J. (*See* Axinn and Brasher), 16
BREWER, J. D. (*See* Conny and Brewer), 441
BRINSDEN, G. I. (*See* Thomson et al), 654
BROERING, L. F., AND GOOCH, W. M. Technique for repair of removable partial denture backings, 582
BRUDVIK, J. S. (*See* Morris et al), 319
BRUKL, C. E. (*See* Kaiser et al), 510
BRUSCAGIN, C. (*See* Preti et al), 571

C

CALOMENI, A. A. Gold crown fabrication for complete dentures, 439
CAMP, L. R., TODD, M. J. Effect of dowel preparation on apical seal of three common obturation techniques, 664
CAMPANA, H. A. (*See* Lambert et al), 611
CAPUTO, A. A. (*See* Bauer and Caputo), 351
— (*See* Henson et al), 681
CAPUTO, L. (*See* Gwinnett and Caputo), 20
CARDESI, E. (*See* Preti et al), 571
CAREY, P. D. (*See* Potgieter and Carey), 623
CARLSSON, G. E. (*See* Lundqvist and Carlsson), 262
CARRANZA, JR., F. A. (*See* Azzi et al), 561
CASWELL, C. W. Template for accurate tooth reduction, 294
— AND SENIA, E. S. Using endodontic stabilizers for overdenture abutment teeth, 530
CAVAZOS, JR., E. (*See* Everhart and Cavazos), 180
— (*See* Troendle et al), 735
CHAN, K. C., AND BOYER, D. B. Repair of conventional and microfilled composite resins, 345
— (*See* Reinhardt et al), 62
CHESNUT III, C. H. (*See* Kribbs et al), 576, 719
CHILDERS, J. M. (*See* Re et al), 797
CHRISTENSEN, J. M., HUTTON, J. E., HASEGAWA, A., AND FLETCHER, S. G. Evaluation of effects of palatal augmentation on partial glossectomy speech, 539
CHRISTENSEN, L. C. Preserving centric stop for interocclusal records, 558
CLARK, R. E. (*See* Millstein and Clark), 327
CLAYTON, J. A. (*See* Lederman and Clayton), 95
CLOUGH, H. E., KNODLE, J. M., LEEPER, S. H., PUDWILL, M. L., AND TAYLOR, D. T. Comparison of lingualized occlusion and monoplane occlusion in complete dentures, 176
CONNY, D. J., AND BREWER, J. D. Technique to facilitate handling of enamel-bonded restorations, 441
CRAIG, C. (*See* Rinaldi et al), 220
CRONIN, R. J., AND WARDLE, W. L. Loss of anterior interdental tissue: Periodontal and prosthodontic solutions, 505

D

DANTINI, JR., D. C. (*See* Zaki et al), 672
DAVIS, Q. B. (*See* Koth et al), 72
DAY, R. C. (*See* Gidden, Eccles, and Day), 800
DE FIORI, S. R., AND MIRANDA, M. E. Transferring path of insertion from diagnostic cast to multiple master casts, 733
DEL CASTILLO, E. (*See* Thompson, Del Castillo, and Livaditis), 771
DOI, Y. (*See* Takahashi et al), 392
DONATELLI, D. (*See* Rinaldi et al), 200
DONOVAN, T. E. (*See* Leach and Donovan), 283
— (*See* Prince, Donovan, and Presswood), 793
— (*See* Prince and Donovan), 185
DOUGLASS, C. W. Role of specialists and general practitioners in provision of prosthodontic services, 844
DOWDEN, W. E., AND LANGELAND, K. Evaluation and comparison of pulpal response to gold foil and indium alloy, 497
DRAHEIM, R. N. (*See* Re et al), 797
DUKES, B. S. (*See* Olson et al), 767
DYKEMA, R. W. (*See* Fisher et al), 627

July, 1-142; August, 143-304; September, 305-450; October, 451-594; November, 595-748; December, 749-906.

E

Eccles, J. D. (*See* Gidden, Eccles, and Day), 800
Ehrlich, J., and Yaffe, A. Effect of first molar loss on dentition and periodontium, 830
Ellison, J. A. (*See* Hamilton et al), 200
Els, J. M. (*See* Wolfaardt et al), 224
Eriksson, A. R., Albrektsson, T. Temperature threshold levels for heat-induced bone tissue injury: A vital-microscopic study in the rabbit, 101
Escobedo, J. J. (*See* Fowler et al), 121
Eshelman, E. G., and Sayegh, F. S. Dowel materials and root fracture, 342
Everhart, R. J., and Cavazos, Jr., E. Evaluation of fixed removable partial denture: Andrews Bridge System, 180

F

Farmer, J. B. Preventive prosthodontics: Maxillary denture fracture, 172
Federation of Prosthodontic Organizations-Education Committee. Background information: Requirements for advanced specialty education programs in prosthodontics, 833
—. Requirements for advanced specialty education programs in prosthodontics, 836
Ferrando, J-M. P., Graser, G. N., Tallents, R. H., and Jarvis, R. H. Tensile strength and microleakage of porcelain repair materials, 44
Fields, Jr., H. (*See* Olson et al), 767
Firtell, D. N., and Jacobson, T. E. Removable partial dentures with rotational paths of insertion: Problem analysis, 8
Fisher, R. L. Factors that influence base stability of mandibular distal-extension removable partial dentures: Longitudinal study, 167
Fisher, R. M., Moore, B. K., Swartz, M. L., and Dykema, R. W. Effects of enamel wear on metal-porcelain interface, 627
Fletcher, S. G. (*See* Christensen et al), 539
Fowler, Jr., J. A., Kuebker, W. A. and Escobedo, J. J. Laboratory procedures for the maintenance of a removable partial overdenture, 121
Friedman, M. H., and Howard, I. Framework design for overlay removable partial dentures, 866
—, Weisberg, J., and Agus, B. Emergency treatment of acute inflammation of temporomandibular joint, 827
Frost, A. L. (*See* Kent et al), 230

G

Garfunkel, E. Evaluation of dimensional changes in complete dentures processed by injection-pressing and pack-and-press technique, 757
Garver, D. G., and Muir, T. E. Retention of vital submucosal roots under immediate dentures: Surgical procedure, 753
Gibbs, C. H. (*See* Mahan et al), 710
Gidden, J. R., Eccles, J. D., and Day, R. C. Screw-connected fixed partial denture, 800
Gilboe, D. B. Centric relation as treatment position, 685
Gillis, R. G., and Leonard, R. J. Prosthetic treatment for speech and swallowing in patients with total glossectomy, 808
Goho, C. Oral hygiene device for overdenture abutments, 739
Goldberger, H. J. (*See* Rinaldi et al), 220
Goll, G., Smith, D. E., and Plein, J. B. Effect of denture cleansers on temporary soft liners, 466
Gooch, W. M. (*See* Broering and Gooch), 582
Graser, G. N. (*See* Ferrando et al), 44
Graver, H. T. (*See* Alperstein et al), 803
Greener, E. H. (*See* Thomson et al), 654
Griswold, W. H. (*See* Townsend et al), 51
Groetsema, W. R. Interpositional bone grafts to augment atrophic mandible, 618
Guinn III, J. W. (*See* Khan and Guinn), 293
Gwinnett, A. J., and Caputo, L. The effectiveness of ultrasonic denture cleaning: Scanning electron microscope study, 20

H

Hacqueboard, A. (*See* Wolfaardt et al), 224
Hamilton, A. I. (*See* Jendresen et al), 411
Hamilton, J. C., Moffa, J. P., Ellison, J. A., and Jenkins, W. A. Marginal fracture not predictor of longevity for two dental amalgam alloys: Ten-year study, 200
Hanson, M. D., Shipman, B., Blomfield, S. V., and Janus, C. E. Commercial cosmetics and their role in coloring of facial prostheses, 818
Hansson, H-A., Albrektsson, T., and Brånemark, P-I. Structural aspects of the interface between tissue and titanium implants, 108
Hansson, L-G., Hansson, T., and Peterson, A. Comparison between clinical and radiologic findings in 259 temporomandibular joint patients, 89
Hansson, T. (*See* Hansson et al), 89
Hart, T. O., Malone, W. F. P., Sandrick, J., Bowman, D., and Balthazar, Y. M. Proposed format for mandibular displacement analysis in fixed prosthodontics, 54
Hasegawa, A. (*See* Christensen et al), 539
Hawbolt, E. B., MacEntee, M. I., and Zahel, J. I. Tensile strength and appearance of solder joints in three base metal alloys made with high- and low-temperature solders, 362
Hedegard, B. (*See* Jemt et al), 566
Hembree, Jr., J. H. Marginal leakage of microfilled composite resin restorations, 632
— (*See* Myers et al), 513
Henson, J. L., Caputo, A. A., and Turley, P. K. Analysis of stress produced by maxillary mouthstick prosthesis, 681
Herold, R. C. B. (*See* Alperstein et al), 803
Hesby, R. A. (*See* Kilfoil et al), 40
Hiraiwa, K. (*See* Takahashi et al), 392
Hirsch, S. M. (*See* Meeker et al), 636
Hobo, S., and Mochizuki, S. Kinematic investigation of mandibular border movement by means of electronic measuring system. Part I: Development of measuring system, 368
Holland, G. A. (*See* Janus et al), 657
Howard, I. (*See* Friedman and Howard), 866
Hoyle, D. E. Immediate stabilization of broken maxillary denture, 289
Huget, E. F. (*See* Vermilyea et al), 207
Hunter, R. N. Construction of accurate acrylic resin provisional restorations, 520
Hutton, J. E. (*See* Christensen et al), 539

I

Iwakawa, Y. (*See* Takahashi et al), 392

J

Jacobson, T. E. (*See* Firtell and Jacobson), 8
Janus, C. E., Taylor, D. F., and Holland, G. A. Microstructural study of solder connectors of low-gold casting alloys, 657
— (*See* Hanson et al), 818
Jarvis, R. H. (*See* Ferrando et al), 44
Jemt, T., Hedegard, B., and Wickberg, K. Chewing patterns before and after treatment with complete maxillary and bilateral distal-extension mandibular removable partial dentures, 566
Jendresen, M. D., Hamilton, A. I., McLean, J. W., Phillips, R. W., and Ramfjord, S. P. Report of Committee on Scientific Investigation of American Academy of Restorative Dentistry, 411
Jenkins, W. A. (*See* Hamilton et al), 200
Joshin, K. (*See* Takahashi et al), 392

K

Kahn, R. C., and Guinn III, J. W. Fabrication of duplicate mouth guards, 293
Kaim, J. M. (*See* Meeker et al), 636

KAISER, D. A. Anatomy of cast gold margin, 437
—, BRUKL, C. E., AND KISER, G. C. Film thickness of disclosing wax, 510
KASTNER, C. U., AND TRINKL, J. E. Fabrication of individualized preliminary impression trays, 131
—, SVARE, C. W., SCANDRETT, F. R., KERBER, P. E., TAYLOR, T. D., AND SEMLER, H. E. Effects of chemical denture cleaners on flexibility of cast clasps, 473
KENT, K., ZEIGEL, R. F., KENT, K., FROST, A. L., AND SCHAAF, N. G. Controlling porosity and density of silicone rubber prosthetic material, 230
KERBER, P. E. (*See* Kastner et al), 473
KILFOIL, B. M., HESBY, R. A., AND PELLEU, JR., G. B. The tensile strength of a composite resin reinforced with carbon fibers, 40
KIMURA, H. (*See* Takahashi et al), 392
KISER, G. C. (*See* Kaiser et al), 510
KNAP, F. J. (*See* Sigaroudi and Knap), 245
KNIEJSKI, M. E. (*See* Worley and Kniejski), 227
KNODLE, J. M. (*See* Clough et al), 176
KOTH, D. L., MCKINNEY, JR., R. V., AND DAVIS, Q. B. The single-crystal sapphire endosteal dental implant. A longitudinal human study: One-year results, 72
KRIBBS, P. J., SMITH, D. E., AND CHESNUT III, C. H. Oral findings in osteoporosis. Part I: Measurement of mandibular bone density, 576; Part II. Relationship between residual ridge and alveolar bone resorption and generalized skeletal osteopenia, 719
KUEBKER, W. A. (*See* Fowler et al), 121
KUFFLER, M. J. (*See* Vermilyea et al), 207, 651
KWONG, W. K. Fabricating acrylic resin baseplates for complete dentures, 127

L

LAMBERT, P. M., SKERL, R. F., AND CAMPANA, H. A. Free autogenous graft coverage of vital retained roots, 611
LANG, B. R., AND RAZZOOG, M. E. Practical approach to restoring occlusion for edentulous patients. Part I: Guiding principles of tooth selection, 455; Part II: Arranging functional and rational mold combination, 599
— (*See* Tallgren et al), 148
LANGELAND, K. (*See* Dowden and Langeland), 497
LEACH, C. D., AND DONOVAN, T. E. Impression technique for maxillary removable partial dentures, 283
LEDERMAN, K. H., AND CLAYTON, J. A. Patients with restored occlusions. Part III: The effect of occlusal splint therapy and occlusal adjustments on TMJ dysfunction, 95
LEEPER, S. H. (*See* Clough et al), 176
LEINFELDER, K. F. (*See* Wilder et al), 26
LEKHOLM, U. Clinical procedures for treatment with osseointegrated dental implants, 116
LEONARD, R. J. (*See* Gillis and Leonard), 808
LEPLEY, J. B. (*See* Taicher et al), 65
LEVY, M. (*See* Taicher et al), 65
LIVADITIS, G. J. (*See* Thompson, Del Castillo, and Livaditis), 771
LUNDQVIST, S., AND CARLSSON, G. E. Maxillary fixed prostheses on osseointegrated dental implants, 262
LUTZ F., AND PHILLIPS, R. W. Classification and evaluation of composite resin systems, 480

M

MACDONALD, G. (*See* Watson and MacDonald), 853
MACENTEE, M. I. (*See* Hawbolt et al), 362
MAHAN, P. E., WILKINSON, T. M., GIBBS, C. H., MAUDERLI, A., AND BRANNON, L. S. Superior and inferior bellies of lateral pterygoid muscle EMG activity at basic jaw positions, 710
MALONE, W. F. P. (*See* Hart et al), 54
MANARY, D. G. Evaluating pontic-tissue relationship by means of clinical technique, 193
MANNS, A., MIRALLES, R., SANTANDER, H., AND VALDIVIA, J. Influence of vertical dimension in treatment of myofascial pain-dysfunction syndrome, 700
MANOR, R. C. (*See* Barron et al), 69
— (*See* Naylor and Manor), 536
MANZIONE, J. V. (*See* Zampese et al), 821
MARSHALL, T. D. (*See* Re et al), 797
MARTINOFF, J. T. (*See* Rieder and Martinoff), 237
— (*See* Rieder et al), 81
MASELLA, R., AND MERCIER, P. Surgical and prosthodontic reconstruction of severely handicapped edentulous patient, 377
MASSLER, M. Geriatric nutrition. Part IV: Role of fiber in the diet, 5
MAUDERLI, A. (*See* Mahan et al), 710
MAY, JR., K. N. (*See* Wilder et al), 26
MCKINNEY, JR., R. V. (*See* Koth et al), 72
MCKINSTRY, R. E., AND ARAMANY, M. A. Clinical evaluation of mandibular staple bone plate, 374
MCLEAN, J. W. (*See* Jendresen et al), 411
MEEKER, H. G., HIRSCH, S. M., AND KAIM, J. M. Repairing voids at cavosurface-composite resin margins, 636
MERCIER, P. (*See* Masella and Mercier), 377
MERSEL, A. (*See* Tau et al), 314
MILLER, R. L. (*See* Olson et al), 767
MILLER, S. D. Anterior fixed provisional restoration: Direct method, 516
MILLSTEIN, P. L. Method for recording occlusal positions on removable partial denture frameworks, 738
— AND CLARK, R. E. Determination of accuracy of laminated wax interocclusal wafers, 327
— AND NATHANSON, D. Effect of eugenol and eugenol cements on cured composite resin, 211
MINGLEDORFF, E. B. (*See* Rinaldi et al), 220
MIRALLES, R. (*See* Manns et al), 700
MIRANDA, M. E. (*See* De Fiori and Miranda), 733
MOCHIZUKI, S. (*See* Hobo and Mochizuki), 368
MOFFA, J. P. (*See* Hamilton et al), 200
MOORE, B. K. (*See* Fisher et al), 627
MORI, S., (*See* Takahashi et al), 392
MORIWAKI, Y. (*See* Takahashi et al), 392
MORRIS, H. F., ASGAR K., BRUDVIK, J. S., WINKLER, S., AND ROBERTS, E. P. Stress-relaxation testing. Part IV: Clasp pattern dimensions and their influence on clasp behavior, 319
MOSER, J. B. (*See* Thomson et al), 654
MUIR, T. E. (*See* Garver and Muir), 753
MURRAY, G. A. (*See* Newman et al), 31
MYERS, M. L., STAFFANOU, R. S., HEMBREE, JR., J. H., AND WISEMAN, W. B. Marginal leakage of contemporary cementing agents, 513

N

NATHANSON, D. (*See* Millstein and Nathanson), 211
NAYLOR, W. P., AND MANOR, R. C. Fabrication of flexible prosthesis for edentulous scleroderma patient with microstomia, 536
NEWITTER, D. A., AND PARDO, G. I. Aid for verifying nature of dental casting alloys, 277
NEWMAN, S. M., MURRARY, G. A., AND YATES, J. L. Visible lights and visible light-activated composite resins, 31
NIKAE, H. (*See* Akagawa et al), 725

O

OKAZAKI, M. (*See* Takahashi et al), 392
OLSON, J. W., MILLER, R. L., DUKES, B. S., AND FIELDS, JR., H. Hereditary hemorrhagic telangiectasia: Prosthetic management and considerations, 767
O'MEEGHAN, P. D., AND BEHREND, D. H. Guide pin technique for paralleling abutment preparations, 780
OW, R. K. K., AND BEARN, E. M. Method of studying effect of adhesives on denture retention, 332

P

PARDO, G. I. (*See* Newitter and Pardo), 277
PAREL, S. M. Overdentures in maxillofacial prosthetics practice. Part I: Cancer patient, 522

PELED, I. (*See* Taicher et al), 677
PELLEU, JR., G. B. (*See* Kilfoil et al), 40
PETERSON, A. (*See* Hansson et al), 89
PHILLIPS, R. W. (*See* Jendresen et al), 411
— (*See* Lutz and Phillips), 480
PHOTOPOULOS, D. J. (*See* Zampese et al), 821
PIETROKOVSKI, J. (*See* Tau et al), 314
PINES, M. (*See* Rakow et al), 216
PLAINFIELD, S. Viable alternative: Tooth transplantation, 667
PLEIN, J. B. (*See* Goll et al), 466
PORTERA, J. J., AND THOMSON, J. A. Reuse of existing crowns after tooth fracture at gingival margin, 195
POTGIETER, P. J., AND CAREY, P. D. Use of graphoanalysis for complete denture patient evaluation, 623
POUND, E. Accurate protrusive registrations for partients edentulous in one or both jaws, 584
PRESSWOOD, R. G. Multiple recast of nickel-chromium-beryllium alloy, 198
—. The castability of alloys for small castings, 36
— (*See* Prince et al), 793
PRETI, G., BRUSCAGIN, C., SCOTTI, R., AND CARDESI, E. Statistical study of angle formed by lateral part of mandibular condyle and horizontal plane, 571
PRINCE, J., AND DONOVAN, T. E. Esthetic metal-ceramic margin: Comparison of techniques, 185
—, —, AND PRESSWOOD, R. G. All-porcelain labial margin for ceramometal restorations: New concept, 793
PUDWILL, M. L. (*See* Clough et al), 176

R

RAKOW, B., BALBO, M. P., PINES, M., AND SCHULMAN, A. Experimental diamond stone: Preliminary report, 216
RAMFJORD, S. P. (*See* Jendresen et al), 411
RASKIN, E. R. Indirect technique for fabricating crown under existing clasp, 580
RAZZOOG, M. E. (*See* Lang and Razzoog), 455, 599
RE, G. J., DRAHEIM, R. N., MARSHALL, T. D., ZINC, J. H., AND CHILDERS, J. M. Modification of rubber dam clamp increases access to distal surfaces of anchor teeth, 797
REINHARDT, J. W., CHAN, K. C., AND SCHULEIN, T. M. Mercury vaporization during amalgam removal, 62
RICHESON, J. S. (*See* Sarrett, Richeson, and Smith), 784
RICKER, J. B. (*See* Thomson et al), 654
RIEDER, C. E., AND MARTINOFF, J. T. Prevalence of mandibular dysfunction. Part II: Multiphasic dysfunction profile, 237
—, —, AND WILCOX, S. A. Prevalence of mandibular dysfunction. Part I: Sex and age distribution of related signs and symptoms, 81
RINALDI, A. W., GOLDBERGER, H. J., MINGLEDORFF, E. B., CRAIG, C., AND DONATELLI, D. Biomechanical considerations in implant prosthodontics, 220
ROBERTS, E. P. (*See* Morris et al), 319
ROSEN, A. G. (*See* Taicher et al), 65
ROWE, D. J. Bone loss in elderly, 607
RUBENSTEIN, J. E. (*See* Barron et al), 69

S

SANDRIK, J. L., AND VACCO, J. L. Tensile and bond strength of putty-wash elastomeric impression materials, 358
— (*See* Hart et al), 54
SANTANDER, H. (*See* Manns et al), 700
SARRETT, D. C., RICHESON, J. S., AND SMITH, G. E. Scanning electron microscopy evaluation of four finishing techniques on margins of gold castings, 784
SAYEGH, F. S. (*See* Eshelman and Sayegh), 342
SCANDRETT, F. R. (*See* Kastner et al), 473
SCHAAF, N. G. (*See* Kent et al), 230
SCHABERG, S. J. (*See* Stuller and Schaberg), 157
SCHMIDT, JR., W. F., AND SMITH, D. E. Six-year retrospective study of Molloplast-B-lined dentures. Part I: Patient response, 308; Liner serviceability, 459
SCHULEIN, T. M. (*See* Reinhardt et al), 62
SCHULMAN, A. (*See* Rakow et al), 216
SCOTTI, R. (*See* Preti et al), 571
SELA, M., AND TAICHER, S. Intraoral radiation carrier for edentulous patients, 815
— (*See* Taicher et al), 677
SEMLER, H. E. (*See* Kastner et al), 473
SENIA, E. S. (*See* Caswell and Senia), 530
SHIFMAN, A. Technique for fabrication of open obturator, 384
SHIPMAN, B. (*See* Hanson et al), 818
SHOHER, I., AND WHITEMAN, A. E. Reinforced porcelain systems: New concept in ceramometal restorations, 489
SIGAROUDI, K., AND KNAP, F. J. Analysis of jaw movements in patients with temporomandibular joint click, 245
SINGH, B. P. (*See* Berry and Singh), 386
SKERL, R. F. (*See* Lambert et al), 611
SMITH, D. E. (*See* Goll et al), 466
— (*See* Kribbs et al), 576, 719
— (*See* Schmidt and Smith), 308, 459
SMITH, G. E. (*See* Sarrett, Richeson, and Smith), 784
SONI, A. Boxing the tongue region in mandibular irreversible hydrocolloid impressions, 130
STACKHOUSE, J. A. Voids in mixed elastomeric impression material, 762
STAFFANOU, R. S. (*See* Myers et al), 513
STULLER, C. B., AND SCHABERG, S. J. Use of segmented LeFort I osteotomy to correct severe extrusion of maxillary posterior teeth or tuberosities, 157
SVARE, C. W. (*See* Kastner et al), 473
SWARTZ, M. L. (*See* Fisher et al), 627
SYKORA, O. Fabrication of posterior shade guide for removable partial dentures, 287
SYMINGTON, J. M. (*See* Zarb and Symington), 271

T

TAICHER, S., ROSEN, A. G., ARBREE, N. S., BERGEN, S. F., LEVY, M., AND LEPLEY, J. B. Technique for fabrication of polydimethylsiloxane-acrylic resin obturators, 65
—, SELA, M., TUBIANA, I., AND PELED, I. Technique for making facial moulage under general anesthesia, 677
— (*See* Sela and Taicher), 815
TAKAHASHI, J., OKAZAKI, M., KIMURA, H., HIRAIWA, K., IWAKAWA, Y., MORI, S., JOSHIN, K., MORIWAKI, Y., AND DOI, Y. Accuracy of occlusal cusp height in cast crowns, 392
TALLENTS, R. H. (*See* Ferrando et al), 44
TALLGREN, A., LANG, B. R., WALKER, G. F., AND ASH, JR., M. M. Changes in jaw relations, hyoid position, and head posture in complete denture wearers, 148
TAMURA, J. J. (*See* Vermilyea et al), 651
TAU, S., MERSEL, A., ALMAGOR, R., AND PIETROKOVSKI J. Spatial relationship between anatomic landmarks in edentulous patients: Radiographic study, 314
TAYLOR, D. F. (*See* Janus et al), 657
TAYLOR, D. T. (*See* Clough et al), 176
TAYLOR, T. D. (*See* Kastner et al), 473
THOMSON, D. H., MOSER, J. B., RICKER, J. B., GREENER, E. H., AND BRINSDEN, G. I. Use of high-copper casting alloys: Marginal fit of cast copings, 654
THOMSON, J. A. (*See* Portera and Thomson), 195
THOMPSON, V. P., DEL CASTILLO, E., AND LIVADITIS, G. J. Resin-bonded retainers. Part I: Resin bond to electrolytically etched nonprecious alloys, 771
TJAN, A. H. L. Sanitary "arc-fixed partial denture": Concept and technique of pontic design, 338
— AND WHANG, S. B. Retentive properties of some simplified dowel-core systems to cast gold dowel and core, 203
TODD, M. J. (*See* Camp and Todd), 664
TOWNSEND, L. W. A., VERMILYEA, S. G., AND GRISWOLD, W. H. Soldering nonnoble alloys, 51
TRINKL, J. E. (*See* Kastner and Trinkl), 131

TROENDLE, JR., G. R. (*See* Troendle et al), 735
TROENDLE, K. B., CAVAZOS, JR., E., AND TROENDLE, JR., G. R. Simple method of boxing rubber base impressions, 735
TSAO, T. F. (*See* Azzi et al), 561
TSURU, H. (*See* Akagawa et al), 725
TUBIANA, I. (*See* Taicher et al), 677
TURLEY, P. K. (*See* Henson et al), 681

V

VACCO, J. L. (*See* Sandrik and Vacco), 358
VALDIVIA, J. (*See* Manns et al), 700
VERMILYEA, S. G., KUFFLER, M. J., AND HUGET, E. F. Effects of die relief agent on retention of full coverage castings, 207
—, —, AND TAMURA, J. J. Casting accuracy of base metal alloys, 651
— (*See* Townsend et al), 51
VON GONTEN, A. S., AND WELKER, W. A. Mounting casts on new plasterless plane line articulator, 860

W

WALKER, G. F. (*See* Tallgren et al), 148
WARDLE, W. L. (*See* Cronin and Wardle), 505
WATSON, I. B., AND MACDONALD, G. Regional variations in palatal mucosa of edentulous mouth, 853
WEINBERG, L. A. Definitive prosthodontic therapy for TMJ patients. Part I: Anterior and posterior condylar displacement, 544; Part II: Posterior and superior condylar displacement, 690
WEINER, S. Fabrication of provisional acrylic resin restorations, 863
WEISBERG, J. (*See* Friedman et al), 827
WELKER, W. A. (*See* von Gonten and Welker), 860
WENDT, D. C. American Board of Prosthodontics, 866
WHANG, S. B. (*See* Tjan and Whang), 203
WHITEMAN, A. E. (*See* Shoher and Whiteman), 489
WICKBERG, K. (*See* Jemt et al), 566
WILCOX, S. A. (*See* Rieder et al), 81
WILDER, JR., A. D., MAY, JR., K. N., AND LEINFELDER, K. F. Three-year clinical study of UV-cured composite resins in posterior teeth, 26
WILKINSON, T. M. (*See* Mahan et al), 710
WINKLER, S. (*See* Morris et al), 319
WISEMAN, W. B. (*See* Myers et al), 513
WOLFAARDT, J. F., HACQUEBOARD, A., AND ELS, J. M. Mold technique for construction of orbital prostheses, 224
WORLEY, J. L., AND KNIEJSKI, M. E. Method for controlling thickness of hollow obturator prostheses, 227
WRIGHT, S. M. Radiographic examination of edentulous patients, 164

Y

YAFFE, A. (*See* Ehrlich and Yaffe), 830
YATES, J. L. (*See* Newman et al), 31

Z

ZAKI, H. S., DANTINI, JR., D. C. AND ARAMANY, M. A. Compound splint for comminuted mandibular fracture, 672
ZAMPESE, D. R., PHOTOPOULOS, D. J., AND MANZIONE, J. V. Use of TMJ arthrotomography in diagnosis and treatment of anterior disk dislocation, 821
ZARB, G. A., AND SYMINGTON, J. M. Osseointegrated dental implants: Preliminary report on replication study, 271
ZAHEL, J. I. (*See* Hawbolt et al), 362
ZEIGEL, R. F. (*See* Kent et al), 230
ZINC, J. H. (*See* Re et al), 797

Subject index

A

Abutment(s), overdenture, oral hygiene device for (Goho) (Tips), 739
preparations, paralleling, guide pin technique for (O'Meeghan and Behrend), 780
teeth, overdenture, using endodontic stabilizers for (Caswell and Senia), 530
Acrylic resin baseplates for complete dentures, fabricating (Kwong), 127
-polydimethylsiloxane obturators, technique for fabrication of (Taicher et al), 65
provisional restorations, accurate, construction of (Hunter), 520
restorations, provisional, fabrication of (Weiner), 863
Acute inflammation of temporomandibular joint, emergency treatment of (Friedman et al), 827
Adhesives, method of studying effect of, on denture retention (Ow and Bearn), 332
Adjustments, occlusal, and occlusal splint therapy, effect of, on TMJ dysfunction, Part III: Patients with restored occlusions (Lederman and Clayton), 95
Advanced specialty education programs in prosthodontics, requirements for (Federation of Prosthodontic Organizations—Education Committee), 836
Background information (Federation of Prosthodontic Organizations—Education Committee), 833
Alloy(s), base metal, casting accuracy of (Vermilyea et al), 651
dental casting, aid for verifying nature of (Newitter and Pardo), 277
electrolytically etched nonprecious, resin bond to, Part I: Resin-bonded retainers (Thompson et al), 771
for small castings, castability of (Presswood), 36
high-copper casting, use of: Marginal fit of cast copings (Thomson et al), 654
low-gold casting, microstructural study of solder connectors of (Janus et al), 657
nickel-chromium-beryllium, multiple recast of (Presswood), 198
Ni-Cr, metallurgy of, for fixed prosthodontics (Baran), 639
nonnoble, soldering (Townsend et al), 51
silver-palladium, preventing green discoloration of porcelain baked over (Blanco-Dalmau), 865
three base metal, made with high- and low-temperature solders, tensile strength and appearance of solder joints in (Hawbolt et al), 362
two dental amalgam, marginal fracture not a predictor of longevity for: Ten-year study (Hamilton et al), 200
Alveolar bone resorption and residual ridge, and generalized skeletal osteopenia, relationship between, Part II: Oral findings in osteoporosis (Kribbs et al), 719
Amalgam alloys, two dental, marginal fracture not a predictor of longevity for: Ten-year study (Hamilton et al), 200
removal, mercury vaporization during (Reinhardt et al), 62
American Board of Prosthodontics (Wendt), 867
Anatomic landmarks in edentulous patients, spatial relationship between: Radiographic study (Tau et al), 314
Anchor teeth, modification of rubber dam clamp increases access to distal surfaces of (Re et al), 797
Anchorage, direct bone, of dental implants (Albrektsson), 255
Andrews Bridge System: Evaluation of fixed removable partial denture (Everhart and Cavazos), 180
Anesthesia, general, technique for making facial moulage under (Taicher et al), 677
Angle formed by lateral part of mandibular condylar and horizontal plane, statistical study of (Preti et al), 571
Anterior and posterior condylar displacement, Part I: Definitive prosthodontic therapy for TMJ patients (Weinberg), 544
disk dislocation, use of TMJ arthrotomography in diagnosis and treatment of (Zampese et al), 821
fixed provisional restoration: Direct method (Miller), 516
interdental tissue, loss of: Periodontal and prosthodontic solutions (Cronin and Wardle), 505
Apical seal of three common obturation techniques, effect of dowel preparation on (Camp and Todd), 664
"Arc-fixed partial denture," sanitary: Concept and technique of pontic design (Tjan), 338
Arthrotomography, TMJ, use of, in diagnosis and treatment of anterior disk dislocation (Zampese et al), 821
Articulator, new plasterless plane line, mounting casts on (von Gonten and Welker), 860
Atrophic mandible, interpositional bone grafts to augment (Groetsema), 618
Augmentation, palatal, evaluation of effects of, on partial glossectomy speech (Christensen et al), 539
Autogenous graft coverage, free, of vital retained roots (Lambert et al), 611

B

Base impressions, rubber, simple method of boxing (Troendle et al), 735
metal alloys, casting accuracy of (Vermilyea et al), 651
three, made with high- and low-temperature solders, tensile strength and appearance of solder joints in (Hawbolt et al), 362
stability of mandibular distal-extension removable partial dentures, factors that influence: Longitudinal study (Fisher), 167
Baseplates, acrylic resin, fabricating, for complete dentures (Kwong), 127
Bellies, superior and inferior, of lateral pterygoid muscle EMG activity at basic jaw positions (Mahan et al), 710
Beryllium-nickel-chromium alloy, multiple recast of (Presswood), 198
Bilateral and maxillary, complete, distal-extension mandibular removable partial dentures, chewing patterns before and after treatment with (Jemt et al), 566
Biomechanical considerations in implant prosthodontics (Rinaldi et al), 220
Bond and tensile strength of putty-wash elastomeric impression materials (Sandrik and Vacco), 358
resin, to electrolytically etched nonprecious alloys, Part I: Resin-bonded retainers (Thompson et al), 771
Bonded-resin retainers. Part I: Resin bond to electrolytically etched nonprecious alloys (Thompson et al), 771
Bone anchorage, direct, of dental implants (Albrektsson), 255

July, 1-142; August, 143-304; September, 305-450; October, 451-594; November, 595-748; December, 749-906.

Bone—cont'd
density, mandibular, measurement of, Part I: Oral findings in osteoporosis (Kribbs et al), 576
grafts, interpositional, to augment atrophic mandible (Groetsema), 618
loss in elderly (Rowe), 607
plate, mandibular staple, clinical evaluation of (McKinstry and Aramany), 374
resorption, alveolar, and residual ridge, and generalized skeletal osteopenia, relationship between, Part II: Oral findings in osteoporosis (Kribbs et al), 719
tissue injury, heat-induced, temperature threshold levels for: Vital-microscopic study in rabbit (Eriksson and Albrektsson), 101
Border movement, mandibular, kinematic investigation of, by means of electronic measuring system. Part I: Development of measuring system (Hobo and Mochizuki), 368
Boxing rubber base impressions, simple method of (Troendle et al), 735
tongue region in mandibular irreversible hydrocolloid impressions (Soni) (Tips), 130

C

Cancer patient, Part I: Overdentures in maxillofacial prosthetics practice (Parel), 522
Carbon fibers, tensile strength of composite resin reinforced with (Kilfoil et al), 40
Carrier, intraoral radiation, for edentulous patients (Sela and Taicher), 815
Cast(s) clasps, effects of chemical denture cleaners on flexibility of (Kastner et al), 473
copings, marginal fit of: Use of high-copper casting alloys (Thomson et al), 654
crowns, accuracy of occlusal cusp height in (Takahashi et al), 392
diagnostic, transferring path of insertion from, to multiple master casts (De Fiori and Miranda), 733
gold dowel and core, retentive properties of some simplified dowel-core systems to (Tjan and Whang), 203
margin, anatomy of (Kaiser), 437
mounting, on new plasterless plane line articulator (von Gonten and Welker), 860
multiple master, transferring path of insertion from diagnostic cast to (De Fiori and Miranda), 733
Castability of alloys for small castings (Presswood), 36
Casting(s) accuracy of base metal alloys (Vermilyea et al), 651
alloys, dental, aid for verifying nature of (Newitter and Pardo), 277
low-gold, microstructural study of solder connectors of (Janus et al), 657
use of high-copper: Marginal fit of cast copings (Thomson et al), 654
full coverage, effects of die relief agent on retention of (Vermilyea et al), 207
gold, scanning electron microscopy evaluation of four finishing techniques on margins of (Sarrett et al), 784
small, castability of alloys for (Presswood), 36
Cavosurface–composite resin margins, repairing voids at (Meeker et al), 636
Cement(s), eugenol, and eugenol, effect of, on cured composite resin (Millstein and Nathanson), 211
restorations, glass-ionomer, marginal leakage of (Alperstein et al), 803
Cementing agents, contemporary, marginal leakage of (Myers et al), 513
Centric relation as treatment position (Gilboe), 685
stop, preserving, for interocclusal records (Christensen), 558
Ceramic-metal margin, esthetic: Comparison of techniques (Prince and Donovan), 185
Ceramometal restorations, all-porcelain labial margin for: New concept (Prince et al), 793
new concept in: Reinforced porcelain system (Shoher and Whiteman), 489
Chemical denture cleaners, effects of, on flexibility of cast clasps (Kastner et al), 473
Chewing patterns before and after treatment with complete maxillary and bilateral distal-extension mandibular removable partial dentures (Jemt et al), 566
Chromium-nickel-beryllium alloy, multiple recast of (Presswood), 198
Clamp, rubber dam, modification of, increases access to distal surfaces of anchor teeth (Re et al), 797
Clasp(s) behavior, clasp pattern dimensions and their influence on, Part IV: Stress-relaxation testing (Morris et al), 319
cast, effects of chemical denture cleaners on flexibility of (Kastner et al), 473
existing, indirect technique for fabricating crown under (Raskin), 580
pattern dimensions and their influence on clasp behavior, Part IV: Stress-relaxation testing (Morris et al), 319
Cleaners, chemical denture, effects of, on flexibility of cast clasps (Kastner et al), 473
Cleaning, denture, effectiveness of ultrasonic: Scanning electron microscope study (Gwinnett and Caputo), 20
Cleansers, denture, effect of, on temporary soft liners (Goll et al), 466
Click, temporomandibular joint, analysis of jaw movements in patients with (Sigaroudi and Knap), 245
Clinical and radiologic findings in 259 temporomandibular joint patients, comparison between (Hansson et al), 89
procedures for treatment with osseointegrated dental implants (Lekholm), 116
Coloring of facial prostheses, commercial cosmetics and their role in (Hanson et al), 818
Comminuted mandibular fracture, compound splint for (Zaki et al), 672
Complete denture(s), comparison of lingualized occlusion and monoplane occlusion in (Clough et al), 176
fabricating acrylic resin baseplates for (Kwong), 127
gold crown fabrication for (Calomeni), 439
patient evaluation, use of graphoanalysis for (Potgieter and Carey), 623
processed by injection-pressing and pack-and-press technique, evaluation of dimensional changes in (Garfunkel), 757
wearers, changes in jaw relations, hyoid position, and head posture in (Tallgren et al), 148
maxillary and bilateral distal-extension mandibular removable partial dentures, chewing patterns before and after treatment with (Jemt et al), 566
Composite resin(s)–cavosurface margins, repairing voids at (Meeker et al), 636
conventional and microfilled, repair of (Chan and Boyer), 345
cured, effect of eugenol and eugenol cements on (Millstein and Nathanson), 211
reinforced with carbon fibers, tensile strength of (Kilfoil et al), 40
restorations, microfilled, marginal leakage of (Hembree), 632
surface of, finished with instruments and matrices (Bauer and Caputo), 351
systems, classification and evaluation of (Lutz and Phillips), 480
UV-cured, in posterior teeth, three-year clinical study of (Wilder et al), 26
visible light–activated, and visible lights (Newman et al), 31
Compound splint for comminuted mandibular fracture (Zaki et al), 672

Condylar displacement, anterior and posterior, Part I: Definitive prosthodontic therapy for TMJ patients (Weinberg), 544
posterior and superior, Part II: Definitive prosthodontic therapy for TMJ patients (Weinberg), 690
Condyle, mandibular, and horizontal plane, statistical study of angle formed by lateral part of (Preti et al), 571
Connectors, solder, of low-gold casting alloys, microstructural study of (Janus et al), 657
Contacts, occlusal, daily variations in (Berry and Singh), 386
physiologic occlusal: Premarked for prevention (Appleby) (Tips), 129
Conventional and microfilled composite resins, repair of (Chan and Boyer), 345
Copings, cast, marginal fit of: Use of high-copper casting alloys (Thomson et al), 654
Copper, high-, casting alloys, use of: Marginal fit of cast copings (Thomson et al), 654
Core and dowel, cast gold, retentive properties of some simplified dowel-core systems to (Tjan and Whang), 203
-dowel systems, some simplified, to cast gold dowel and core, retentive properties of (Tjan and Whang), 203
Cosmetics, commercial, and their role in coloring of facial prostheses (Hanson et al), 818
Cr-Ni alloys for fixed prosthodontics, metallurgy of (Baran), 639
Crown(s), cast, accuracy of occlusal cusp height in (Takahashi et al), 392
die with insufficient occlusal reduction, salvaging (Barish) (Tips), 866
existing, reuse of, after tooth fracture at gingival margin (Portera and Thomson), 195
gold, fabrication for complete dentures (Calomeni), 439
indirect technique for fabricating, under existing clasp (Raskin), 580
Cured composite resin, effect of eugenol and eugenol cements on (Millstein and Nathanson), 211
UV-, composite resins in posterior teeth, three-year clinical study of (Wilder et al), 26
Cusp height, occlusal, accuracy of, in cast crowns (Takahashi et al), 392

D

Dam clamp, rubber, modification of, increases access to distal surfaces of anchor teeth (Re et al), 797
Density and porosity of silicone rubber prosthetic materials, controlling (Kent et al), 230
mandibular bone, measurement of, Part I: Oral findings in osteoporosis (Kribbs et al), 576
Dental amalgam alloys, two, marginal fracture not a predictor of longevity for: Ten-year study (Hamilton et al), 200
casting alloys, aid for verifying nature of (Newitter and Pardo), 277
implant(s), direct bone anchorage of (Albrektsson), 255
osseointegrated, clinical procedures for treatment with (Lekholm), 116
maxillary fixed prostheses on (Lundqvist and Carlsson), 262
Preliminary report on replication study (Zarb and Symington), 271
single-crystal sapphire endosteal. Longitudinal human study: One-year results (Koth et al), 72
Dentition and periodontium, effect of first molar loss on (Ehrlich and Yaffe), 830
"Denture(s), arc-fixed partial," sanitary: Concept and technique of pontic design (Tjan), 338
backings, removable partial, technique for repair of (Broering and Gooch), 582
broken maxillary, immediate stabilization of (Hoyle), 289
cleaners, chemical, effects of, on flexibility of cast clasps (Kastner et al), 473
Denture(s)—cont'd
cleaning, ultrasonic, effectiveness of: Scanning electron microscope study (Gwinnett and Caputo), 20
cleansers, effect of, on temporary soft liners (Goll et al), 466
complete, comparison of lingualized occlusion and monoplane occlusion in (Clough et al), 176
evaluation of dimensional changes in, processed by injection-pressing and pack-and-press technique (Garfunkel), 757
fabricating acrylic resin baseplates for (Kwong), 127
gold crown fabrication for (Calomeni), 439
maxillary and bilateral distal-extension mandibular removable partial, chewing patterns before and after treatment with (Jemt et al), 566
patient evaluation, use of graphoanalysis for (Potgieter and Carey), 623
fixed removable partial, evaluation of: Andrews Bridge System (Everhart and Cavazos), 180
fracture, maxillary: Preventive prosthodontics (Farmer), 172
frameworks, removable partial, method for recording occlusal positions on (Millstein) (Tips), 738
immediate, retention of vital submucosal roots under: Surgical procedure (Garver and Muir), 753
mandibular distal-extension removable partial, factors that influence base stability of: Longitudinal study (Fisher), 167
maxillary removable partial, impression technique for (Leach and Donovan), 283
Molloplast-B–lined, six-year retrospective study of. Part I: Patient response (Schmidt and Smith), 308; Part II: Liner serviceability (Schmidt and Smith), 459
overlay removable partial, framework design for (Friedman and Howard) (Tips), 866
removable partial, fabrication of posterior shade guide for (Sykora), 287
with rotational paths of insertion: Problem analysis (Firtell and Jacobson), 8
retention, method of studying effect of adhesives on (Ow and Bearn), 332
screw-connected fixed partial (Gidden et al), 800
wearers, complete, changes in jaw relations, hyoid position, and head posture in (Tallgren et al), 148
Diagnostic cast, transferring path of insertion from, to multiple master casts (De Fiori and Miranda), 733
Diamond stone, experimental: Preliminary report (Rakow et al), 216
Die, crown, with insufficient occlusal reduction, salvaging (Barish) (Tips), 866
relief agent, effects of, on retention of full coverage castings (Vermilyea et al), 207
Diet, role of fiber in, Part IV: Geriatric nutrition (Massler), 5
Disclosing wax, film thickness of (Kaiser et al), 510
Discoloration, preventing green, of porcelain baked over silver-palladium alloys (Blanco-Dalmau), 865
Disk dislocation, anterior, use of TMJ arthrotomography in diagnosis and treatment of (Zampese et al), 821
Dislocation, anterior disk, use of TMJ arthrotomography in diagnosis and treatment of (Zampese et al), 821
Displacement, anterior and posterior condylar, Part I: Definitive prosthodontic therapy for TMJ patients (Weinberg), 544
posterior and superior condylar, Part II: Definitive prosthodontic therapy for TMJ patients (Weinberg), 690
Distal-extension mandibular removable partial dentures, complete maxillary and bilateral, chewing patterns before and after treatment with (Jemt et al), 566
removable partial dentures, mandibular, factors that influence base stability of: Longitudinal study (Fisher), 167
surfaces of anchor teeth, modification of rubber dam clamp increases access to (Re et al), 797

Dowel and core, cast gold, retentive properties of some simplified dowel-core systems to (Tjan and Whang), 203
-core systems, some simplified, to cast gold dowel and core, retentive properties of (Tjan and Whang), 203
materials and root fracture (Eshelman and Sayegh), 342
preparation, effect of, on apical seal of three common obturation techniques (Camp and Todd), 664
Dysfunction, mandibular, prevalence of. Part I: Sex and age distribution of related signs and symptoms (Reider et al), 81; Part II: multiphasic dysfunction profile (Reider and Martinoff), 237
-pain syndrome, myofascial, influence of vertical dimension in treatment of (Manns et al), 700
profile, multiphasic, Part II: Prevalence of mandibular dysfunction (Rieder and Martinoff), 237
TMJ, effect of occlusal splint therapy and occlusal adjustments on, Part III: Patients with restored occlusions (Lederman and Clayton), 95

E

Edentulous in one or both jaws, patients, accurate protrusive registrations for (Pound), 584
jaws, clinical results of osseointegrated implants supporting fixed prostheses in (Adell), 251
mouth, regional variations in palatal mucosa of (Watson and MacDonald), 853
patient(s), intraoral radiation carrier for (Sela and Taicher), 815
practical approach to restoring occlusion for. Part I: Guiding principles of tooth selection (Lang and Razzoog), 455; Part II: Arranging functional and rational mold combination (Lang and Razzoog), 599
radiographic examination of (Wright), 164
severely handicapped, surgical and prosthodontic reconstruction of (Masella and Mercier), 377
spatial relationship between anatomic landmarks in: Radiographic study (Tau et al), 314
scleroderma patient with microstomia, fabrication of flexible prosthesis for (Naylor and Manor), 536
Education programs, advanced specialty, requirements for, in prosthodontics (Federation of Prosthodontic Organizations—Education Committee), 836
Elastomeric impression material, mixed, voids in (Stackhouse), 762
putty-wash, impression materials, tensile and bond strength of (Sandrik and Vacco), 358
Elderly, bone loss in (Rowe), 607
Electron microscopy, scanning, evaluation of four finishing techniques on margins of gold castings (Sarrett et al), 784
Electronic measuring system, kinematic investigation of mandibular border movement by means of. Part I: Development of measuring system (Hobo and Mochizuki), 368
EMG activity, superior and inferior bellies of lateral pterygoid muscle, at basic jaw positions (Mahan et al), 710
Enamel-bonded restorations, technique to facilitate handling of (Conny and Brewer) (Tips), 441
wear on metal-porcelain interface, effects of (Fisher et al), 627
Endodontic stabilizers, using, for overdenture abutment teeth (Caswell and Senia), 530
Endosteal dental implant, single-crystal sapphire. Longitudinal human study: One-year results (Koth et al), 72
Esthetic metal-ceramic margin: Comparison of techniques (Prince and Donovan), 185
Etched, electrolytically, nonprecious alloys, resin bond to, Part I: Resin-bonded retainers (Thompson et al), 771
Eugenol and eugenol cements, effect of, on cured composite resin (Millstein and Nathanson), 211
cements and eugenol, effect of, on cured composite resin (Millstein and Nathanson), 211
Examination, radiographic, of edentulous patients (Wright), 164
Extension-distal mandibular removable partial, bilateral, and complete maxillary dentures, chewing patterns before and after treatment with (Jemt et al), 566
Extrusion, severe, of maxillary posterior teeth or tuberosities, use of segmented LeFort I osteotomy to correct (Stuller and Schaberg), 157

F

Fabrication of open obturator, technique for (Shifman), 384
Facial moulage, technique for making, under general anesthesia (Taicher et al), 677
prostheses, commercial cosmetics and their role in coloring of (Hanson et al), 818
Fiber(s), carbon, tensile strength of composite resin reinforced with (Kilfoil et al), 40
in diet, role of, Part IV: Geriatric nutrition (Massler), 5
Film thickness of disclosing wax (Kaiser et al), 510
Finishing techniques, four, scanning electron microscopy evaluation of, on margins of gold castings (Sarrett et al), 784
First molar loss, effect of, on dentition and periodontium (Ehrlich and Yaffe), 830
Fit, marginal, of cast copings: Use of high-copper casting alloys (Thomson et al), 654
Fixed partial denture, screw-connected (Gidden et al), 800
prostheses in edentulous jaws, clinical results of osseointegrated implants supporting (Adell), 251
maxillary, on osseointegrated dental implants (Lundqvist and Carlsson), 262
prosthodontics, metallurgy of Ni-Cr alloys for (Baran), 639
proposed format for mandibular displacement analysis in (Hart et al), 54
provisional restoration, anterior: Direct method (Miller), 516
removable partial denture, evaluation of: Andrews Bridge System (Everhart and Cavazos), 180
Flexible prosthesis, fabrication of, for edentulous scleroderma patient with microstomia (Naylor and Manor), 536
Flexibility of cast clasps, effects of chemical denture cleaners on (Kastner et al), 473
Foil, gold, and indium alloy, evaluation and comparison of pulpal response to (Dowden and Langeland), 497
Fracture, comminuted mandibular, compound splint for (Zaki et al), 672
marginal, not predictor of longevity for two dental amalgam alloys: Ten-year study (Hamilton et al), 200
maxillary denture: Preventive prosthodontics (Farmer), 172
root, and dowel materials (Eshelman and Sayegh), 342
tooth, at gingival margin, reuse of existing crown after (Portera and Thomson), 195
Framework(s) design for overlay removable partial dentures (Friedman and Howard) (Tips), 866
removable partial denture, method for recording occlusal positions on (Millstein) (Tips), 738
Free autogenous graft coverage of vital retained roots (Lambert et al), 611
graft plus frenectomy (Axinn and Brasher), 16
Frenectomy plus free graft (Axinn and Brasher), 16
Full coverage castings, effects of die relief agent on retention of (Vermilyea et al), 207

G

General practitioners and specialists, role of, in provision of prosthodontic services (Douglass), 844
Geriatric nutrition. Part IV: Role of fiber in diet (Massler), 5
Gingival margin, reuse of existing crown after tooth fracture at (Portera and Thomson), 195
retraction methods, comparative study of (Azzi et al), 561
Glass-ionomer cement restorations, marginal leakage of (Alperstein et al), 803
Gossectomy speech, partial, evaluation of effects of palatal augmentation on (Christensen et al), 539

Glossectomy—cont'd
total, prosthetic treatment for speech and swallowing in patients with (Gillis and Leonard), 808
Gold, cast, dowel and core, retentive properties of some simplified dowel-core systems to (Tjan and Whang), 203
castings, scanning electron microscopy evaluation of four finishing techniques on margins of (Sarrett et al), 784
crown fabrication for complete dentures (Calomeni), 439
foil and indium alloy, evaluation and comparison of pulpal response to (Dowden and Langeland), 497
low-, casting alloys, microstructural study of solder connectors of (Janus et al), 657
margin, cast, anatomy of (Kaiser), 437
Graft(s) coverage, free autogenous, of vital retained roots (Lambert et al), 611
free, plus frenectomy (Axinn and Brasher), 16
interpositional bone, to augment atrophic mandible (Groetsema), 618
Graphoanalysis for complete denture patient evaluation, use of (Potgieter and Carey), 623
Guide pin technique for paralleling abutment preparations (O'Meeghan and Behrend), 780

H

Handicapped, severely, edentulous patient, surgical and prosthodontic reconstruction of (Masella and Mercier), 377
Head posture, jaw relations, and hyoid position in complete denture wearers, changes in (Tallgren et al), 148
Heat-induced bone tissue injury, temperature threshold levels for: Vital-microscopic study in rabbit (Eriksson and Albrektsson), 101
Hemorrhagic telangiectasia, hereditary: Prosthetic management and considerations (Olson et al), 767
Hereditary hemorrhagic telangiectasia: Prosthetic management and considerations (Olson et al), 767
High- and low-temperature solders, tensile strength and appearance of solder joints in three base metal alloys made with (Hawbolt et al), 362
-copper casting alloys, use of: Marginal fit of cast copings (Thomson et al), 654
Histologic changes in rat masticatory muscles subsequent to experimental increase of occlusal vertical dimension (Akagawa et al), 725
Hygiene device, oral, for overdenture abutments (Goho) (Tips), 739
Horizontal plane and mandibular condyle, statistical study of angle formed by lateral part of (Preti et al), 571
Hydrocolloid impressions, mandibular irreversible, boxing tongue region in (Soni) (Tips), 130
Hyoid position, jaw relations, and head posture in complete denture wearers, changes in (Tallgren et al), 148

I

Implant(s), dental, direct bone anchorage of (Albrektsson), 255
osseointegrated dental, clinical procedures for treatment with (Lekholm), 116
maxillary fixed prostheses on (Lundqvist and Carlsson), 262
Preliminary report on replication study (Zarb and Symington), 271
evaluation of results of treatment with, by Swedish National Board of Health and Welfare (Bergman), 114
supporting fixed prostheses in edentulous jaws, clinical results of, (Adell), 251
prosthodontics, biomechanical considerations in (Rinaldi et al), 220
single-crystal sapphire endosteal dental. Longitudinal human study: One-year results (Koth et al), 72
Implant(s)—cont'd
titanium, and tissue, structural aspects of interface between (Hansson et al), 108
Impression(s), mandibular irreversible hydrocolloid, boxing tongue region in (Soni) (Tips), 130
material(s), mixed elastomeric, voids in (Stackhouse), 762
putty-wash elastomeric, tensile and bond strength of (Sandrik and Vacco), 358
rubber base, simple method of boxing (Troendle et al), 735
technique for maxillary removable partial dentures (Leach and Donovan), 283
trays, individualized preliminary, fabrication of (Kastner and Trinkl) (Tips), 131
Indium alloy and gold foil, evaluation and comparison of pulpal response to (Dowden and Langeland), 497
Inferior and superior bellies of lateral pterygoid muscle EMG activity at basic jaw positions (Mahan et al), 710
Inflammation, acute, of temporomandibular joint, emergency treatment of (Friedman et al), 827
Injection-pressing and pack-and-press technique, evaluation of dimensional changes in complete dentures processed by (Garfunkel), 757
Injury, heat-induced bone tissue, temperature threshold levels for: Vital-microscopic study in rabbit (Eriksson and Albrektsson), 101
Insertion, removable partial dentures with rotational paths of: Problem analysis (Firtell and Jacobson), 8
transferring path of, from diagnostic cast to multiple master casts (De Fiori and Miranda), 733
Interdental tissue, anterior, loss of: Periodontal and prosthodontic solutions (Cronin and Wardle), 505
Interface between tissue and titanium implants, structural aspects of (Hansson et al), 108
metal-porcelain, effects of enamel wear on (Fisher et al), 627
Interocclusal records, preserving centric stop for (Christensen), 558
wafers, laminated wax, determination of accuracy of (Millstein and Clark), 327
Interpositional bone grafts to augment atrophic mandible (Groetsema), 618
Intraoral radiation carrier for edentulous patients (Sela and Taicher), 815
stents, flexible (Barron et al), 69
Ionomer-glass cement restorations, marginal leakage of (Alperstein et al), 803
Irreversible hydrocolloid impressions, mandibular, boxing tongue region in (Soni) (Tips), 130

J

Jaw(s), edentulous, clinical results of osseointegrated implants supporting fixed prostheses in (Adell), 251
movements in patients with temporomandibular joint click, analysis of (Sigaroudi and Knap), 245
one or both, accurate protrusive registrations for patients edentulous in (Pound), 584
positions, basic, superior and inferior bellies of lateral pterygoid muscle EMG activity at (Mahan et al), 710
relations, hyoid position, and head posture in complete denture wearers, changes in (Tallgren et al), 148
Joint, temporomandibular, emergency treatment of acute inflammation of (Friedman et al), 827

L

Labial margin, all-porcelain, for ceramometal restorations: New concept (Prince et al), 793
Laboratory procedures for maintenance of removable partial overdenture (Fowler et al), 121

Landmarks, anatomic, spatial relationship between, in edentulous patients: Radiograhic study (Tau et al), 314
Lateral pterygoid muscle, inferior and superior bellies of, EMG activity at basic jaw positions (Mahan et al), 710
Leakage, marginal, of contemporary cementing agents (Myers et al), 513
of glass-ionomer cement restorations (Alperstein et al), 803
of microfilled composite resin restorations (Hembree), 632
LeFort I osteotomy, segmented, to correct severe extrusion of maxillary posterior teeth or tuberosities, use of (Stuller and Schaberg), 157
Lights, visible, and visible light–activated composite resins (Newman et al), 31
Lined dentures, Molloplast-B–, six-year retrospective study of. Part I: Patient response (Schmidt and Smith), 308; Part II: Liner serviceability (Schmidt and Smith), 459
Liner(s) serviceability, Part II. Six-year retrospective study of Molloplast-B–lined dentures (Schmidt and Smith), 459
temporoary soft, effect of denture cleansers on (Goll et al), 466
Lingualized occlusion and monoplane occlusion in complete dentures, comparison of (Clough et al), 176
Longevity for two dental amalgam alloys, marginal fracture not a predictor of: Ten-year study (Hamilton et al), 200
Low- and high-temperature solders, tensile strength and appearance of solder joints in three base metal alloys made with (Hawbolt et al), 362
gold casting alloys, microstructural study of solder connectors of (Janus et al), 657

M

Mandible, atrophic, interpositional bone grafts to augment (Groetsema), 618
Mandibular bone density, measurement of, Part I: Oral findings in osteoporosis (Kribbs et al), 576
border movement, kinematic investigation of, by means of electronic measuring system. Part I: Development of measuring system (Hobo and Mochizuki), 368
condyle and horizontal plane, statistical study of angle formed by lateral part of (Preti et al), 571
displacement analysis in fixed prosthodontics, proposed format for (Hart et al), 54
distal-extension removable partial dentures, factors that influence base stability of: Longitudinal study (Fisher), 167
dysfunction, prevalence of. Part I: Sex and age distribution of related signs and symptoms (Reider et al), 81; Part II: Multiphasic dysfunction profile (Reider and Martinoff), 237
fracture, comminuted, compound splint for (Zaki et al), 672
irreversible hydrocolloid impressions, boxing tongue region in (Soni) (Tips), 130
removable partial dentures, complete maxillary and bilateral distal-extension, chewing patterns before and after treatment with (Jemt et al), 566
staple bone plate, clinical evaluation of (McKinstry and Aramany), 374
Margin(s), all-porcelain labial, for ceramometal restorations: New concept (Prince et al), 793
cast gold, anatomy of (Kaiser), 437
cavosurface–composite resin, repairing voids at (Meeker et al), 636
esthetic metal-ceramic: Comparison of techniques (Prince and Donovan), 185
gingival, reuse of existing crown after tooth fracture at (Portera and Thomson), 195
of gold castings, scanning electron microscopy evaluation of four finishing techniques on (Sarrett et al), 784
Marginal fit of cast copings: Use of high-copper casting alloys (Thomson et al), 654
fracture not predictor of longevity for two dental amalgam alloys: Ten-year study (Hamilton et al), 200
leakage of contemporary cementing agents (Myers et al), 513
glass-ionomer cement restorations (Alperstein et al), 803
microfilled composite resin restorations (Hembree), 632
Master casts, multiple, transferring path of insertion from diagnostic cast to (De Fiori and Miranda), 733
Masticatory muscles, rat, histologic changes in, subsequent to experimental increase of occlusal vertical dimension (Akagawa et al), 725
Maxillary and bilateral, complete, distal-extension mandibular removable partial dentures, chewing patterns before and after treatment with (Jemt et al), 566
denture, broken, immediate stabilization of (Hoyle), 289
fracture: Preventive prosthodontics (Farmer), 172
fixed prostheses on osseointegrated dental implants (Lundqvist and Carlsson), 262
mouthstick prosthesis, analysis of stress produced by (Henson et al), 681
posterior teeth or tuberosities, use of segmented LeFort I osteotomy to correct severe extrusion of (Stuller and Schaberg), 157
removable partial dentures, impression technique for (Leach and Donovan), 283
Maxillofacial prosthetics practice, overdentures in. Part I: Cancer patient (Parel), 522
Measuring system, development of, Part I: Kinematic investigation of mandibular border movement by means of electronic measuring system (Hobo and Mochizuki), 368
electronic, kinematic investigation of mandibular border movement by means of. Part I: Development of measuring system (Hobo and Mochizuki), 368
Mercury vaporization during amalgam removal (Reinhardt et al), 62
Metal alloys, base, casting accuracy of (Vermilyea et al), 651
-ceramic margin, esthetic: Comparison of techniques (Prince and Donovan), 185
-porcelain interface, effects of enamel wear on (Fisher et al), 627
Metallurgy of Ni-Cr alloys for fixed prosthodontics (Baran), 639
Microfilled and conventional composite resins, repair of (Chan and Boyer), 345
composite resin restorations, marginal leakage of (Hembree), 632
Microstructural study of solder connectors of low-gold casting alloys (Janus et al), 657
Microleakage and tensile strength of porcelain repair materials (Ferrando et al), 44
Microscopy, scanning electron, evaluation of four finishing techniques on margins of gold castings (Sarrett et al), 784
Microstomia, fabrication of flexible prosthesis for edentulous scleroderma patient with (Naylor and Manor), 536
Molar, first, effect of, loss on dentition and periodontium (Ehrlich and Yaffe), 830
Mold combination, arranging functional and rational, Part II: Practical approach to restoring occlusion for edentulous patients (Lang and Razzoog), 599
technique for construction of orbital prostheses (Wolfaardt et al), 224
Molloplast-B–lined dentures, six-year retrospective study of. Part I: Patient response (Schmidt and Smith), 308; Part II: Liner serviceability (Schmidt and Smith), 459
Monoplane occlusion and lingualized occlusion in complete dentures, comparison of (Clough et al), 176
Moulage, facial, technique for making, under general anesthesia (Taicher et al), 677
Mounting casts on new plasterless plane line articulator (von Gonten and Welker), 860
Mouth, edentulous, regional variations in palatal mucosa of (Watson and MacDonald), 853

Mouth—cont'd
guards, duplicate, fabrication of (Kahn and Guinn) (Tips), 293
Mouthstick prosthesis, maxillary, analysis of stress produced by (Henson et al), 681
Movement, mandibular border, kinematic investigation of, by means of electronic measuring system. Part I: Development of measuring system (Hobo and Mochizuki), 368
Mucosa, palatal, of edentulous mouth, regional variations in (Watson and MacDonald), 853
Multiple master casts, transferring path of insertion from diagnostic cast to (De Fiori and Miranda), 733
Muscle(s), rat masticatory, histologic changes in, subsequent to experimental increase of occlusal vertical dimension (Akagawa et al), 725
superior and inferior bellies of lateral pterygoid, EMG activity at basic jaw positions (Mahan et al), 710
Myofascial pain-dysfunction syndrome, influence of vertical dimension in treatment of (Manns et al), 700

N

Nickel-chromium-beryllium alloy, multiple recast of (Presswood), 198
Ni-Cr alloys for fixed prosthodontics, metallurgy of (Baran), 639
Nonnoble alloys, soldering (Townsend et al), 51
Nonprecious alloys, electrolytically etched, resin bond to, Part I: Resin-bonded retainers (Thompson et al), 771
Nutrition, geriatric. Part IV: Role of fiber in diet (Massler), 5

O

Obturation techniques, three common, effect of dowel preparation on apical seal of (Camp and Todd), 664
Obturator(s), open, technique for fabrication of (Shifman), 384
polydimethylsiloxane-acrylic resin, technique for fabrication of (Taicher et al), 65
prostheses, hollow, method for controlling thickness of (Worley and Kniejski), 227
Occlusal adjustments and occlusal splint therapy, effect of, on TMJ dysfunction, Part III: Patients with restored occlusions (Lederman and Clayton), 95
contacts, daily variations in (Berry and Singh), 386
physiologic: Premarked for prevention (Appleby) (Tips), 129
cusp height in cast crowns, accuracy of (Takahashi et al), 392
positions, method for recording, on removable partial denture frameworks (Millstein) (Tips), 738
reduction, insufficient, salvaging crown die with (Barish) (Tips), 866
splint therapy and occlusal adjustments on TMJ dysfunction, effect of, Part III: Patients with restored occlusions (Lederman and Clayton), 95
vertical dimension, histologic changes in rat masticatory muscles subsequent to experimental increase of (Akagawa et al), 725
Occlusion(s) for edentulous patients, practical approach to restoring. Part II: Arranging functional and rational mold combination (Lang and Razzoog), 599
lingualized, and monoplane occlusion in complete dentures, comparison of (Clough et al), 176
monoplane, and lingualized occlusion in complete dentures, comparison of (Clough et al), 176
restored, patients with. Part III: Effect of occlusal splint therapy and occlusal adjustments on TMJ dysfunction (Lederman and Clayton), 95
restoring, for edentulous patients, practical approach to. Part I: Guiding principles of tooth selection (Lang and Razzoog), 455
Open obturator, technique for fabrication of (Shifman), 384
Oral findings in osteoporosis. Part I: Measurement of mandibular bone density (Kribbs et al), 576; Part II: Relationship between residual ridge and alveolar bone resorption and generalized skeletal osteopenia (Kribbs et al), 719
hygiene device for overdenture abutments (Goho) (Tips), 739
Orbital prostheses, mold technique for construction of (Wolfaardt et al), 224
Osseointegrated dental implants, clinical procedures for treatment with (Lekholm), 116
maxillary fixed prostheses on (Lundqvist and Carlsson), 262
Preliminary report on replication study (Zarb and Symington), 271
implants, evaluation of results of treatment with, by Swedish National Board of Health and Welfare (Bergman), 114
supporting fixed prostheses in edentulous jaws, clinical results of (Adell), 251
Osseointegration and its experimental background (Branemark), 399
Osteopenia, generalized skeletal, relationship between residual ridge and alveolar bone resorption and, Part II: Oral findings in osteoporosis (Kribbs et al), 719
Osteoporosis, oral findings in. Part I: Measurement of mandibular bone density (Kribbs et al), 576; Part II: Relationship between residual ridge and alveolar bone resorption and generalized skeletal osteopenia (Kribbs et al), 719
Osteotomy, segmented LeFort I, to correct severe extrusion of maxillary posterior teeth or tuberosities, use of (Stuller and Schaberg), 157
Overdenture(s) abutment(s), oral hygiene device for (Goho) (Tips), 739
teeth, using endodontic stabilizers for (Caswell and Senia), 530
in maxillofacial prosthetics practice. Part I: Cancer patient (Parel), 522
removable partial, laboratory procedures for maintenance of (Fowler et al), 121
Overlay removable partial dentures, framework design for (Friedman and Howard) (Tips), 866

P

Pack-and-press technique, and injection-pressing, evaluation of dimensional changes in complete dentures processed by (Garfunkel), 757
Pain-dysfunction syndrome, myofascial, influence of vertical dimension in treatment of (Manns et al), 700
Palatal augmentation, evaluation of effects of, on partial glossectomy speech (Christensen et al), 539
mucosa of edentulous mouth, regional variations in (Watson and MacDonald), 853
Palladium-silver alloys, preventing green discoloration of porcelain baked over (Blanco-Dalmau), 865
Paralleling abutment preparations, guide pin technique for (O'Meeghan and Behrend), 780
"Partial denture(s), arc-fixed," sanitary: Concept and technique of pontic design (Tjan), 338
overlay removable, framework design for (Friedman and Howard) (Tips), 866
screw-connected fixed (Gidden et al), 800
glossectomy speech, evaluation of effects of palatal augmentation on (Christensen et al), 539
Paths of insertion, rotational, removable partial dentures with: Problem analysis (Firtell and Jacobson), 8
Patient(s), cancer, Part I: Overdentures in maxillofacial prosthetics practice (Parel), 522

Patient(s)—cont'd
edentulous in one or both jaws, accurate protrusive registrations for (Pound), 584
intraoral radiation carrier for (Sela and Taicher), 815
practical approach to restoring occlusion for. Part I: Guiding principles of tooth selection (Lang and Razzoog), 455; Part II: Arranging functional and rational mold combination (Lang and Razzoog), 599
radiographic examination of (Wright), 164
scleroderma, with microstomia, fabrication of flexible prosthesis for (Naylor and Manor), 536
spatial relationship between anatomic landmarks in: Radiographic study (Tau et al), 314
evaluation, complete denture, use of graphoanalysis for (Potgieter and Carey), 623
severely handicapped edentulous, surgical and prosthodontic reconstruction of (Masella and Mercier), 377
temporomandibular joint, comparison between clinical and radiologic findings in 259 (Hansson et al), 89
TMJ, definitive prosthodontic therapy for. Part I: Anterior and posterior condylar displacement (Weinberg), 544; Part II: Posterior and superior condylar displacement (Weinberg), 690
with restored occlusions. Part III: Effect of occlusal splint therapy and occlusal adjustments on TMJ dysfunction (Lederman and Clayton), 95
temporomandibular joint click, analysis of jaw movements in (Sigaroudi and Knap), 245
total glossectomy, prosthetic treatment for speech and swallowing in (Gillis and Leonard), 808
Periodontal and prosthodontic solutions: Loss of anterior interdental tissue (Cronin and Wardle), 505
Periodontium and dentition, effect of first molar loss on (Ehrlich and Yaffe), 830
Physiologic occlusal contacts: Premarked for prevention (Appleby) (Tips), 129
Plane, horizontal, and mandibular condyle, statistical study of angle formed by lateral part of (Preti et al), 571
line articulator, new plasterless, mounting casts on (von Gonten and Welker), 860
Plate, mandibular staple bone, clinical evaluation of (McKinstry and Aramany), 374
Polydimethylsiloxane–acrylic resin obturators, techniques for fabrication of (Taicher et al), 65
Pontic design, concept and technique of: Sanitary "arc-fixed partial denture" (Tjan), 338
-tissue relationship, evaluating, by means of clinical technique (Manary), 193
Porcelain, all-, labial margin for ceramometal restorations: New concept (Prince et al), 793
baked over silver-palladium alloys, preventing green discoloration of (Blanco-Dalmau), 865
-metal interface, effects of enamel wear on (Fisher et al), 627
repair materials, tensile strength and microleakage of (Ferrando et al), 44
system, reinforced: New concept in ceramometal restorations (Shoher and Whiteman), 489
Porosity and density of silicone rubber prosthetic materials, controlling (Kent et al), 230
Posterior and anterior condylar displacement, Part I: Definitive prosthodontic therapy for TMJ patients (Weinberg), 544
superior condylar displacement, Part II: Definitive prosthodontic therapy for TMJ patients (Weinberg), 690
teeth, maxillary, or tuberosities, use of segmented LeFort I osteotomy to correct severe extrusion of (Stuller and Schaberg), 157
three-year clinical study of UV-cured composite resins in (Wilder et al), 26
Posture, head, jaw relations, and hyoid position in complete denture wearers, changes in (Tallgren et al), 148
Practitioners, general, and specialists, role of, in provision of prosthodontic services (Douglass), 844
Preventive prosthodontics: Maxillary denture fracture (Farmer), 172
Prosthesis(es), facial, commercial cosmetics and their role in coloring of (Hanson et al), 818
fixed, in edentulous jaws, clinical results of osseointegrated implants supporting (Adell), 251
flexible, fabrication of, for edentulous scleroderma patient with microstomia (Naylor and Manor), 536
hollow obturator, method for controlling thickness of (Worley and Kniejski), 227
maxillary fixed, on osseointegrated dental implants (Lundqvist and Carlsson), 262
mouthstick, analysis of stress produced by (Henson et al), 681
orbital, mold technique for construction of (Wolfaardt et al), 224
Prosthetic(s) management and considerations: Hereditary hemorrhagic telangiectasia (Olson et al), 767
materials, silicone rubber, controlling porosity and density of (Kent et al), 230
practice, maxillofacial, overdentures in. Part I: Cancer patient (Parel), 522
treatment for speech and swallowing in patients with total glossectomy (Gillis and Leonard), 808
Prosthodontic(s) and periodontal solutions: Loss of anterior interdental tissue (Cronin and Wardle), 505
surgical reconstruction of severely handicapped edentulous patient (Masella and Mercier), 377
fixed, metallurgy of Ni-Cr alloys for (Baran), 639
proposed format for mandibular displacement analysis in (Hart et al), 54
implant, biomechanical considerations in (Rinaldi et al), 220
preventive: Maxillary denture facture (Farmer), 172
requirements for advanced specialty education programs in (Federation of Prosthodontic Organizations—Education Committee), 836
services, role of specialists and general practitioners in provision of (Douglass), 844
therapy, definitive, for TMJ patients. Part I: Anterior and posterior condylar displacement (Weinberg), 544; Part II: Posterior and superior condylar displacement (Weinberg), 690
Protrusive registrations, accurate, for patients edentulous in one or both jaws (Pound), 584
Provisional acrylic resin restorations, fabrication of (Weiner), 863
restoration(s), accurate acrylic resin, construction of (Hunter) 520
anterior fixed: Direct method (Miller), 516
Pterygoid muscle, superior and inferior bellies of lateral, EMG activity at basic jaw positions (Mahan et al), 710
Pulpal response to gold foil and indium alloy, evaluation and comparison of (Dowden and Langeland), 497
Putty-wash elastomeric impression materials, tensile and bond strength of (Sandrik and Vacco), 358

R

Rabbit, vital-microscopic study in: Temperature threshold levels for heat-induced bone tissue injury (Eriksson and Albrektsson), 101
Radiation carrier, intraoral, for edentulous patients (Sela and Taicher), 815
Radiographic examination of edentulous patients (Wright), 164
Radiologic and clinical findings in 259 temporomandibular joint patients, comparison between (Hansson et al), 89
Recast, multiple, of nickel-chromium-beryllium alloy (Presswood), 198

Reconstruction, surgical and prosthodontic, of severely handicapped edentulous patient (Massella and Mercier), 377
Records, interocclusal, preserving centric stop for (Christensen), 558
Reduction, accurate tooth, template for (Caswell) (Tips), 294
insufficient occlusal, salvaging crown die with (Barish) (Tips), 866
Registrations, accurate protrusive, for patients edentulous in one or both jaws (Pound), 584
Reinforced porcelain system: New concept in ceramometal restorations (Shoher and Whiteman), 489
Relation, centric, as treatment position (Gilboe), 685
Relaxation, stress-, testing. Part IV: Clasp pattern dimensions and their influence on clasp behavior (Morris et al), 319
Relief agent, die, effects of, on retention of full coverage castings (Vermilyea et al), 207
Removable partial denture(s) backings, technique for repair of (Broering and Gooch), 582
fabrication of posterior shade guide for (Sykora), 287
fixed, evaluation of: Andrews Bridge System (Everhart and Cavazos), 180
frameworks, method for recording occlusal positions on (Millstein) (Tips), 738
mandibular, complete maxillary and bilateral distal-extension, chewing patterns before and after treatment with (Jemt et al), 566
distal-extension, factors that influence base stability of: Longitudinal study (Fisher), 167
maxillary, impression technique for (Leach and Donovan), 283
overlay, framework design for (Friedman and Howard) (Tips), 866
with rotational paths of insertion: Problem analysis (Firtell and Jacobson), 8
overdenture, laboratory procedures for maintenance of (Fowler et al), 121
Repair of conventional and microfilled composite resins (Chan and Boyer), 345
removable partial denture backings, technique for (Broering and Gooch), 582
Report of Committee on Scientific Investigation of American Academy of Restorative Dentistry (Jendresen et al), 411
Residual ridge and alveolar bone resorption and generalized skeletal osteopenia, relationship between, Part II: Oral findings in osteoporosis (Kribbs et al), 719
Resin(s), acrylic-polydimethylsiloxane obturators, technique for fabrication of (Taicher et al), 65
baseplates, acrylic, fabricating, for complete dentures (Kwong), 127
bond to electrolytically etched nonprecious alloys, Part I: Resin-bonded retainers (Thompson et al), 771
-bonded retainers. Part I: Resin bond to electrolytically etched nonprecious alloys (Thompson et al), 771
composite, -cavosurface margins, repairing voids at (Meeker et al), 636
conventional and microfilled, repair of (Chan and Boyer), 345
reinforced with carbon fibers, tensile strength of (Kilfoil et al), 40
surface of, finished with instruments and matrices (Bauer and Caputo), 351
cured composite, effect of eugenol and eugenol cements on (Millstein and Nathanson), 211
microfilled composite, restorations, marginal leakage of (Hembree), 632
provisional restorations, accurate acrylic, construction of (Hunter), 520
restorations, provisional acrylic, fabrication of (Weiner), 863
systems, composite, classification and evaluation of (Lutz and Phillips), 480
Resin(s)—cont'd
UV-cured composite, in posterior teeth, three-year clinical study of (Wilder et al), 26
visible light-activated composite, and visible lights (Newman et al), 31
Resorption, alveolar bone, and residual ridge, and generalized skeletal osteopenia, relationship between, Part II: Oral findings in osteoporosis (Kribbs et al), 719
Restoration(s), accurate acrylic resin provisional, construction of (Hunter), 520
anterior fixed provisional: Direct method (Miller), 516
ceramometal, all-porcelain labial margin for: New concept (Prince et al), 793
new concept in: Reinforced porcelain system (Shoher and Whiteman), 489
enamel-bonded, technique to facilitate handling of (Conny and Brewer) (Tips), 441
glass-ionomer cement, marginal leakage of (Alperstein et al), 803
microfilled composite resin, marginal leakage of (Hembree), 632
provisional acrylic resin, fabrication of (Weiner), 863
Retained roots, vital, free autogenous graft coverage of (Lambert et al), 611
Retainers, resin-bonded. Part I: Resin bond to electrolytically etched nonprecious alloys (Thompson et al), 771
Retention, denture, method of studying effect of adhesives on (Ow and Bearn), 332
of full coverage castings, effects of die relief agent on (Vermilyea et al), 207
Retentive properties of some simplified dowel-core systems to cast gold dowel and core (Tjan and Whang), 203
Retraction methods, gingival, comparative study of (Azzi et al), 561
Ridge, residual, and alveolar bone resorption and generalized skeletal osteopenia, relationship between, Part II: Oral findings in osteoporosis (Kribbs et al), 719
Root(s) fracture and dowel materials (Eshelman and Sayegh), 342
vital retained, free autogenous graft coverage of (Lambert et al), 611
submucosal, retention of, under immediate dentures: Surgical procedure (Garver and Muir), 753
Rotational paths of insertion, removable partial dentures with: Problem analysis (Firtell and Jacobson), 8
Rubber base impressions, simple method of boxing (Troendle et al), 735
dam clamp, modification of, increases access to distal surfaces of anchor teeth (Re et al), 797

S

Sapphire, single-crystal, endosteal dental implant. Longitudinal human study: One-year results (Koth et al), 72
Scanning electron microscope study: Effectiveness of ultrasonic denture cleaning (Gwinnett and Caputo), 20
microscopy evaluation of four finishing techniques on margins of gold castings (Sarrett et al), 784
Scleroderma patient, edentulous, with microstomia, fabrication of flexible prosthesis for (Naylor and Manor), 536
Screw-connected fixed partial denture (Gidden et al), 800
Seal, apical, of three common obturation techniques, effect of dowel preparation on (Camp and Todd), 664
Shade guide, posterior, for removable partial dentures, fabrication of (Sykora), 287
Silicone rubber prosthetic materials, controlling porosity and density of (Kent et al), 230
Silver-palladium alloys, preventing green discoloration of porcelain baked over (Blanco-Dalmau), 865
Single-crystal sapphire endosteal dental implant. Longitudinal human study: One-year results (Koth et al), 72

Skeletal osteopenia, generalized, relationship between residual ridge and alveolar bone resorption and, Part II: Oral findings in osteoporosis (Kribbs et al), 719
Soft liners, temporary, effect of denture cleansers on (Goll et al), 466
Solder(s) connectors of low-gold casting alloys, microstructural study of (Janus et al), 657
high- and low-temperature, tensile strength and appearance of solder joints in three base metal alloys made with (Hawbolt et al), 362
joints, tensile strength and appearance of, in three base metal alloys made with high- and low-temperature solders (Hawbolt et al), 362
Soldering nonnoble alloys (Townsend et al), 51
Spatial relationship between anatomic landmarks in edentulous patients: Radiographic study (Tau et al), 314
Specialists and general practitioners, role of, in provision of prosthodontic services (Douglass), 844
Specialty education programs, advanced, requirements for, in prosthodontics (Federation of Prosthodontic Organizations—Education Committee), 836
Speech and swallowing in patients with total glossectomy, prosthetic treatment for (Gillis and Leonard), 808
partial glossectomy, evaluation of effects of palatal augmentation on (Christensen et al), 539
Splint, compound, for comminuted mandibular fracture (Zaki et al), 672
therapy, occlusal, and occlusal adjustments, effect of, on TMJ dysfunction, Part III: Patients with restored occlusions (Lederman and Clayton), 95
Stability, base, of mandibular distal-extension removable partial dentures, factors that influence: Longitudinal study (Fisher), 167
Stabilization, immediate, of broken maxillary denture (Hoyle), 289
Stabilizers, endodontic, using, for overdenture abutment teeth (Caswell and Senia), 530
Staple bone plate, mandibular, clinical evaluation of (McKinstry and Aramany), 374
Stents, flexible intraoral (Barron et al), 69
Stone, experimental diamond: Preliminary report (Rakow et al), 216
Stop, centric, preserving, for interocclusal records (Christensen), 558
Strength, tensile, and appearance of solder joints in three base metal alloys made with high- and low-temperature solders (Hawbolt et al), 362
and bond, of putty-wash elastomeric impression materials (Sandrik and Vacco), 358
microleakage of porcelain repair materials (Ferrando et al), 44
of composite resin reinforced with carbon fibers (Kilfoil et al), 40
Stress produced by maxillary mouthstick prosthesis, analysis of (Henson et al), 681
-relaxation testing. Part IV: Clasp pattern dimensions and their influence on clasp behavior (Morris et al), 319
Submucosal roots, vital, retention of, under immediate dentures: Surgical procedure (Garver and Muir), 753
Superior and inferior bellies of lateral pterygoid muscle EMG activity at basic jaw positions (Mahan et al), 710
posterior condylar displacement, Part II: Definitive prosthodontic therapy for TMJ patients (Weinberg), 690
Surgical and prosthodontic reconstruction of severely handicapped edentulous patient (Masella and Mercier), 377
Swallowing and speech in patients with total glossectomy, prosthetic treatment for (Gillis and Leonard), 808
Swedish National Board of Health and Welfare, evaluation of results of treatment with osseointegrated implants by (Bergman), 114

T

Telangiectasia, hereditary hemorrhagic: Prosthetic management and considerations (Olson et al), 767
Temperature threshold levels for heat-induced bone tissue injury: Vital-microscopic study in rabbit (Eriksson and Albrektsson), 101
Temporary soft liners, effect of denture cleansers on (Goll et al), 466
Temporomandibular joint click, analysis of jaw movements in patients with (Sigaroudi and Knap), 245
emergency treatment of acute inflammation of (Friedman et al), 827
patients, comparison between clinical and radiologic findings in 259 (Hansson et al), 89
Tensile and bond strength of putty-wash elastomeric impression materials (Sandrik and Vacco), 358
strength and appearance of solder joints in three base metal alloys made with high- and low-temperature solders (Hawbolt et al), 362
and microleakage of porcelain repair materials (Ferrando et al), 44
of composite resin reinforced with carbon fibers (Kilfoil et al), 40
Testing, stress-relaxation. Part IV: Clasp pattern dimensions and their influence on clasp behavior (Morris et al), 319
Therapy, definitive prosthodontic, for TMJ patients. Part I: Anterior and posterior condylar displacement (Weinberg), 544; Part II: Posterior and superior condylar displacement (Weinberg), 690
occlusal splint, and occlusal adjustments, effect of, on TMJ dysfunction, Part III: Patients with restored occlusions (Lederman and Clayton), 95
Thickness, film, of disclosing wax (Kaiser et al), 510
Tissue and titanium implants, structural aspects of interface between (Hansson et al), 108
anterior interdental, loss of: Periodontal and prosthodontic solutions (Cronin and Wardle), 505
injury, heat-induced bone, temperature threshold levels for: Vital-microscopic study in rabbit (Eriksson and Albrektsson), 101
-pontic relationship, evaluating, by means of clinical technique (Manary), 193
Titanium implants and tissue, structural aspects of interface between (Hansson et al), 108
TMJ arthrotomography, use of, in diagnosis and treatment of anterior disk dislocation (Zampese et al), 821
dysfunction, effect of occlusal splint therapy and occlusal adjustments on, Part III: Patients with restored occlusions (Lederman and Clayton), 95
patients, definitive prosthodontic therapy for. Part I: Anterior and posterior condylar displacement (Weinberg), 544; Part II: Posterior and superior condylar displacement (Weinberg), 690
Tongue region, boxing, in mandibular irreversible hydrocolloid impressions (Soni) (Tips), 130
Tooth (teeth), abutment, overdenture, using endodontic stabilizers for (Caswell and Senia), 530
anchor, modification of rubber dam clamp increases access to distal surfaces of (Re et al), 797
fracture at gingival margin, reuse of existing crown after (Portera and Thomson), 195
maxillary posterior or tuberosities, use of segmented LeFort I osteotomy to correct severe extrusion of (Stuller and Schaberg), 157
posterior, three-year clinical study of UV-cured composite resins in (Wilder et al), 26
reduction, accurate, template for (Caswell) (Tips), 294
selection, guiding principles of, Part I: Practical approach to restoring occlusion for edentulous patients (Lang and Razzoog), 455

Tooth (teeth)—cont'd
transplantation: Viable alternative (Plainfield), 667
Total glossectomy, prosthetic treatment for speech and swallowing in patients with (Gillis and Leonard), 808
Transplantation, tooth: Viable alternative (Plainfield), 667
Trays, individualized preliminary impression, fabrication of (Kastner and Trinkl) (Tips), 131
Treatment position, centric relation as (Gilboe), 685
with osseointegrated dental implants, clinical procedures for (Lekholm), 116
implants by Swedish National Board of Health and Welfare, evaluation of results of (Bergman), 114
Tuberosities or teeth, maxillary posterior, use of segmented LeFort I osteotomy to correct severe extrusion of (Stuller and Schaberg), 157

U

Ultrasonic denture cleaning, effectiveness of: Scanning electron microscope study (Gwinnett and Caputo), 20
UV-cured composite resins in posterior teeth, three-year clinical study of (Wilder et al), 26

V

Vertical dimension, influence of, in treatment of myofascial pain-dysfunction syndrome (Manns et al), 700
occlusal, histologic changes in rat masticatory muscles subsequent to experimental increase of (Akagawa et al), 725
Visible light(s)–activated composite resins and visible lights (Newman et al), 31
and visible light-activated composite resin (Newman et al), 31
Vital-microscopic study in rabbit: Temperature threshold levels for heat-induced bone tissue injury (Eriksson and Albrektsson), 101
retained roots, free autogenous graft coverage of (Lambert et al), 611
submucosal roots under immediate dentures, retention of: Surgical procedure (Garver and Muir), 753
Voids at cavosurface–composite resin margins, repairing (Meeker et al), 636
in mixed elastomeric impression material (Stackhouse), 762

W

Wafers, interocclusal, laminated wax, determination of accuracy of (Millstein and Clark), 327
Wax, disclosing, film thickness of (Kaiser et al), 510
interocclusal wafers, laminated, determination of accuracy of (Millstein and Clark), 327
Wear, enamel, effects of, on metal-porcelain interface (Fisher et al), 627